



**EnergyLED**

6F.,NO.542-4,Jhongjheng Rd , Sindian City  
,Taipei County 231,Taiwan.(R.O.C)  
TEL : 886-2-7729-0589  
FAX : 886-2-7729-1873  
<http://www.energyled.com>

# SPECIFICATION

*PART NO. : ES-7056-XXX-CW*

飛碟型天井燈

UFO High Bay Light



IP66

ROHS

Approved by

Checked by

Prepared by

**Jason Lee**



**MODIFY RECORD**

TAKE EFFECT DATE	MODIFY ISSUES	REMARKS



Part Number Information:

# ES – 7056-xxx-xW

Power Consumption:

060: 60W 、 100: 100W 、 150: 150W

Color

Temperature

P : 6500KCCT

C : 6000KCCT

L : 5700KCCT

D : 5000KCCT

T : 4500K CCT

N : 4000K CCT



K : 3500K CCT

W : 3000K CCT

S : 2700K CCT



Dimensions:

ES-7056-060-CW:







**ES-7056-100-CW:**



**ES-7056-150-CW:**




1. All dimensions are in millimeters.
2. Tolerance is  $\pm 10$  mm unless otherwise noted.




Parameters:

Input Voltage	AC90~305V / 50~60Hz
Power Factor	> 0.95
Input Power	60W/100W/150W
Luminous Flux Output	>120 Lm / W
Ra	>80
Beam Angle	110°
Operating Temperature	-40°C ~ +60°C
Environment Temperature	-40°C ~ +60°C
Life Time	>30000H
Waterproof Rating	IP66
Product Standard	CE / ROHS


Radiation Diagram



ES-7056-060-CW



ES-7056-100-CW



ES-7056-150-CW



**Packing method**

Part No.	L (mm)	W (mm)	H (mm)
ES-7056-060-CW	310	310	155
ES-7056-100-CW	370	370	200
ES-7056-150-CW	485	485	195