



EnergyLED

6F.,NO.542-4,Zhongzheng Rd ., Xindian Dist.,
,New Taipei City 231,Taiwan (R.O.C)
TEL : 886-2-7729-0589
FAX : 886-2-7729-1871
<http://www.energyled.com>

SPECIFICATION

PART NO. : TA19YN84DG1S1

AC LED Light Tube
(Full voltage Series) (yellow light)

4FT(1198mm)

Approved by

Checked by

Prepared by

--	--	--




LED AC T8 TUBE

[illegible]

**Dimensions:**

PART NO.	L ± 3.0(mm)
TA19YN84DG1S1	1198mm (4FT)



1. All dimensions are in millimeters.
2. Tolerance is ± 0.5 mm (± 0.02 inch) unless otherwise noted.

**Electrical And Optical Characteristics:**



PART NO.	Correlated Color Temperature	Condition (V)	Luminous Flux (lm)		Power Consumption (W)		
			min	typ	min	typ	max
TA19YN84DG1S1	yellow	AC220V (60Hz)	1050	1250	17	19	21



Absolute Maximum Ratings:

AC Input Range	AC100~277V /47~63Hz
Weight	155g@ 4FT
Operating Temperature Range	0°C ~ +45°C
Storage Temperature Range	-10 ~ +65°C



Spectroradiometric Parameters



**Standard accessories installation:****Encased Type:**

PART NO.	Quantity	L(mm)	W(mm)	H(mm)	N.W. (Kg)	G.W. (Kg)
TA19YN84DG1S1	40 PCS	1251	267	175	6.2	7.7

OUTTER CARTON