

No.: EM150706006R Page 1 of 9

委托单位: 肇庆市立得电子有限公司

Address: NANYA INDUSTRIAL ZONE, MUGANG TOWN, ZHAOQING CITY,

GUANGDONG PROVINCE, CHINA

样品名称 Sample Name : 防水平板灯

接收日期 : 2015 年 07 月 06 日

Sample Received Date : Jul. 06, 2015

检测日期 : 2015 年 07 月 07 日~2015 年 07 月 07 日

Sample Tested Date : Jul. 07, 2015~Jul 07, 2015

检测项目 : IP65 测试 **Test Item** : IP65 Test

检测依据 : IEC 60598.1-2015 **Reference Standard** : IEC 60598.1-2015

检测结果 : IP65 测试通过,详情见第 4,7 页。

Test Results : IP65 test passed,Please refer to page 4,7.

Signed for and on behalf of

Shenzhen EMTEK Co., Ltd.

Inspected by:

Luo Wei Zuo Luo

Inspected engineer

__ Reviewed by:

Yang Yan

Shine

Reviewed engineer

Approved by: _____

Lian Ping

Lewis

Authorized signatory

Jul.13, 2015

Ver.: 1.0

ESTING

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Reports printed overleaf and is intended for your exclusive use. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. This test report includes all of the tests requested by you and the results thereof based upon the information that you provided. You have 30 days from date of issuance of this test report to notify us of any error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.





No.: EM150706006R Page 2 of 9

测试样品/Tested Sample:

样品名称	样品编号	样品型号	样品编号	样品型号	
Sample Name	Sample No	Model/Type	Sample No	Model/Type	
	001	LWTTTH520019 (主测型号) 021		LSCTNH520020	
	002	LWTTWH520019 022		LWTTCH520019	
	003	LWTTNH520019 023		LWSSWH520019	
	004	LWSSTH520019 024		LWSSCH520019	
	005	LWSSNH520019 025		LWCTWH520019	
	006	LWCTTH520019 026		LWCTCH520019	
	007	LWCTNH520019 027		LWSSWH520020	
	008	LWSSTH520020	LWSSTH520020 028		
	009	WSSNH520020	029	LWCTWH520020	
防水平板灯	010	LWCTTH520020	030	LWCTCH520020	
124.4 1 100.4	011	LWCTNH520020	031	LSTTWH520019	
	012	LSTTTH520019	032	LSTTCH520019	
	013	LSTTNH520019	033	LSSSWH520019	
L L	014	LSSSTH520019	034	LSSSCH520019	
	015	LSSSNH520019	035	LSCTWH520019	
	016	LSCTTH520019 036		LSCTCH520019	
	017	LSCTNH520019	037	LSSSWH520020	
	018	LSSSTH520020	038	LSSSCH520020	
	019	LSSSNH520020	039	LSCTWH520020	
	020	LSCTTH520020	040	LSCTCH520020	

备注: 以上型号为同一系列(结构相同)。

Remark: These models for the same series (the same structure).

Ver.: 1.0

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Reports printed overleaf and is intended for your exclusive use. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. This test report includes all of the tests requested by you and the results thereof based upon the information that you provided. You have 30 days from date of issuance of this test report to notify us of any error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.





No.: EM150706006R Page 3 of 9

测试顺序/Test Sequence:

测试顺序	测试项目	样品编号 Sample No. 001	
Test Sequence	Test Item		
1	IP6X		
2	IPX5	002	



No.: EM150706006R Page 4 of 9

测试项目 /Test Item : IP6X 测试/ IP6X Test

(1) 测试设备/Test Equipment:

名 称	型号	设备编号	校准有效期
Name	Model	Serial No.	Valid Date to
沙尘试验箱/Dust Tester	KXT1410	ER-016	May. 24, 2016

(2) 测试环境/Environmental Conditions:

温度/Temperature: 24℃ 湿度/Humidity: 55%RH

(3) 测试样品/Test Sample: EM150706006R-001

(4) 测试依据标准/Reference Standard: IEC 60598-1:2015

(5) 测试具体要求/Test Conditions:

1) 样品在额定电源电压下工作,直至达到工作温度/

The sample work under rated supply voltage, until working temperature is reached.

2) 将正在工作的灯具以最小的扰动放入粉尘箱内/

Put Working lamp into the dust box with a minimum of disturbance.

3) 关上粉尘箱的门, 开起风机使粉尘悬浮/

Turn off the dust box door, open the fan, than make dust suspension.

4) 一分钟后关掉灯具电源,并使之在滑石粉保持悬浮的状态下灯具冷却 3 小时/

Turn off the power supply of lamps in a minute, and make it under the talc powder suspension condition cooling of lamps 3 hours


- (6) 判定要求/Acceptance Criteria: 样品内部不允许进尘,不能进入带电部件,不能沉积/Do not allow dust to enter, but not access to live parts, not accumulating.
- (7) 测试结果描述/Test Results:测试后拆检,样品内部无尘进入,样品此次 IP6X 测试通过/Inspection after testing, no dust entered into sample, the IP5X test passed.
- (8) 测试照片见附页/Test Photos Refer to Appendix:

Ver · 1 (



No.: EM150706006R Page 5 of 9

附页 Appendix: IP6X 测试照片 IP6X Test Photos



Ver.: 1.0


This Test Report is issued by the Company subject to its Conditions of Issuance of Test Reports printed overleaf and is intended for your exclusive use. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. This test report includes all of the tests requested by you and the results thereof based upon the information that you provided. You have 30 days from date of issuance of this test report to notify us of any error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.





No.: EM150706006R Page 6 of 9

附页 Appendix: IP6X 测试照片 IP6X Test Photos





No.: EM150706006R Page 7 of 9

测试项目 /Test Item : IPX5 测试/ IPX5 Test t

(1) 测试设备/Test Equipment:

名 称 Name	型号Model	设备编 Serial No.	校准有效期 Valid Date to
防水试验箱/Waterproof Tester	KXT1317	ER-017	May. 24, 2016

(2) 测试环境/Environmental Conditions:

温度/Temperature: 24℃ 湿度/Humidity: 60%RH

(3) 测试样品/Test Sample: EM150706006R-002

(4) 测试依据标准/Reference Standard: IEC 60598-1:2015

(5) 测试具体要求/Test Conditions:

1) 将样品通电达到稳定工作温度后开始测试/

After power on the samples reach a stable operating temperature, start test: Inner

2) 喷嘴内径/Diameter of nozzle: 6.3mm

3) 水流量/The total water flow: 1.75L/min;

4) 喷嘴至样品表面距离/The nozzle to the surface distance: 2.5 ~ 3 m.

5) 测试时间/Test time: 15mins

测试后进行耐压测试,条件如下/After the test for high voltage testing.

测试电压/Voltage: AC 1440V;测试时间/Test time: 1 minute;

测试位置/Test location: 输入对地/Input to ground

(6) 判定要求/Acceptance Criteria: 样品内部不允许进水,不能进入带电部件,不能聚积/

Do not allow water to enter, but not access to live parts, not accumulating

(7) 测试结果描述/Test Results: 耐压通过,测试后拆检,样品内部无水进入,样品此次 IPX5 测试通过

/Voltage passed after inspection. after the test, no water entered into sample. the IPX4 test passed


(8) 测试照片见附页/Test Photos Refer to Appendix:

Ver.: 1.0



No.: EM150706006R Page 8 of 9

附页 Appendix: IPX5 测试照片 IPX5 Test Photos



Ver.: 1.0


This Test Report is issued by the Company subject to its Conditions of Issuance of Test Reports printed overleaf and is intended for your exclusive use. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. This test report includes all of the tests requested by you and the results thereof based upon the information that you provided. You have 30 days from date of issuance of this test report to notify us of any error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise: A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.





No.: EM150706006R Page 9 of 9

附页 Appendix: IPX5 测试照片 IPX5 Test Photos



*** End of report ***