



Energyled

6F.,NO.542-4,Zhongzheng Rd ., Xindian Dist.,
,New Taipei City 231,Taiwan (R.O.C)
TEL : 886-2-7729-0589
FAX : 886-2-7729-1871
<http://www.energyled.com>

SPECIFICATION

PART NO. : TAxCH8xDG0S1

AC LED Light Tube
(Full voltage Series)

2FT(590mm) / 4FT(1198mm)

Approved by

Checked by

Prepared by

Gary

Tony

Junes


MODIFY RECORD

[illegible]



Part Number Information:


TAxxCH8xDG0S1



POWER :

07 → 7W

12 → 12W




SIZE :

2: 2ft 590mm

4: 4ft 1198mm

**Dimensions:**

PART NO.	L ± 3.0(mm)
TA07CH82DG0S1	590mm (2FT)
TA12CH84DG0S1	1198mm (4FT)





1. All dimensions are in millimeters.
2. Tolerance is ± 0.5 mm (± 0.02 inch) unless otherwise noted.

**Electrical And Optical Characteristics:**

PART NO.	Correlated Color Temperature (K)		Condition (V)	Illuminance (LUX) @ 1m distance		Luminous Flux (lm)		Power Consumption (W)		
				min	typ	min	typ	min	typ	max
TA07CH82DG0S1	6000K	±300K	AC220V (60Hz)	180	210	830	900	6	7	9
TA12CH84DG0S1				350	400	1600	1700	10	12	14

Absolute Maximum Ratings:

AC Input Range	AC100~277V /47~63Hz
Weight	95g@ 2FT / 155g@ 4FT
Ra	>80
Operating Temperature Range	0℃ ~ +45℃
Storage Temperature Range	-10 ~ +65℃

**Standard accessories installation:****Encased Type:**

PART NO.	Quantity	L(mm)	W(mm)	H(mm)	N.W. (Kg)	G.W. (Kg)
TA07CH82DG0S1	42 PCS	657	251	240	3.8	4.5
TA12CH84DG0S1	42 PCS	1275	251	240	6.5	8

OUTTER CARTON