



<b>TEST REPORT</b> <b>IEC 62471:2006 First edition / EN 62471:2008</b> <b>Photobiological safety of lamps and lamp systems</b>	
<b>Report Reference No.</b> .....	OI-2014-70024
<b>Date of issue</b> .....	Aug. 29, 2014
<b>Testing Laboratory</b> .....	SGS Taiwan Ltd., Optics Laboratory
<b>Address</b> .....	No. 33, Wu Chyuan Road, New Taipei Industrial Park, Wu Ku District, New Taipei City 24886, Taiwan (R.O.C.)
<b>Applicant's name</b> .....	Energyled Corporation
<b>Address</b> .....	6F., No. 542-4, Jhongjheng Rd., Sindian Dist., New Taipei City Taiwan R.O.C.
<b>Test specification:</b>	
<b>Standard</b> .....	IEC 62471:2006 First edition / EN 62471:2008 Photobiological safety of lamps and lamp systems
<b>Test procedure</b> .....	For Europe CE Marking Testing Only
<b>Non-standard test method</b> .....	N/A
<b>Test item description</b> .....	LED Street Light
<b>Trade Mark</b> .....	Energyled
<b>Manufacturer</b> .....	Energyled Corporation
<b>Model/Type reference</b> .....	BAxxxGSWxxxx, (See Page 6 General product information)
<b>Ratings</b> .....	AC (90 to 305) V, (50 / 60) Hz, (30 / 50 / 60 / 80 / 100 / 120 / 150 / 180 / 200 / 240) W
<b>Conclusion:</b>	In the opinion of SGS, the submitted <u>Device Under Test</u> (DUT) complies with <u>Exempt Group</u> of the above test specification.
<b>Tested by:</b>	<b>Approved by:</b>
Willie Yu Sr. Engineer Aug. 29, 2014	Calvin Tzou Technical Manager Aug. 29, 2014
	
Signature	Signature
<p>Details and test results are given in subsequent pages of this report.  This report refers only to the unit(s) submitted for test.  "(see Enclosure #)" refers to additional information appended to the report.  "(see appended table)" refers to a table appended to the report. Throughout this report a point is used as the decimal separator.  This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/terms_and_conditions.htm">www.sgs.com/terms_and_conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/terms_e-document.htm">http://www.sgs.com/terms_e-document.htm</a>  Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.  Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.</p>	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Document](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**☑ Testing Laboratory:**

SGS Taiwan Ltd., Optics Laboratory

Testing Location / Address.....: No. 55, Wu Chyuan Road, New Taipei Industrial Park, Wu Ku District, New Taipei City 24886, Taiwan (R.O.C.)

**Main Test Equipment:**

Name	Brand	Model	S/N	Calibration Date	Calibration Due Day
IDR300 system / Irradiance Calibration Source	BENTHAM	IDR300 / CL6	15255 / 15093/4	2013/2/28	2015/2/27
IDR300 system / Irradiance Calibration Source	BENTHAM	IDR300 / CL7	15255 / 15242/2	2013/2/28	2015/2/27
IDR300 system / Radiance Calibration Source	BENTHAM	IDR300 / SRS12	15255 / 15243/3	2013/2/28	2015/2/27
Digital Power Meter / AC Source	YOKOGAWA / Chroma	WT-210 / 61601	91J837766 / 616010001728	2014/2/20	2015/2/19

**Summary of testing:**

This test report was issued for classifying evaluation of potential radiation hazards that may be associated with various lamps and lamp systems only.

The compliance with the requirements of other applicable standards may be needed in additional test reports.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Copy of marking plate:



### Energylid

Model No.: BA30CGSWW0002  
Series No.:  
Special lamps: 30W \* 1pcs  
INPUT: 100~240VAC / 30W  
Ambient temperature: 50°C  
COLOR: WHITE / 6000K  
LOT NO.:  
IP number: IP65  
RoHS



### Energylid

Model No.: BA50CGSWW0002  
Series No.:  
Special lamps: 50W \* 1pcs  
INPUT: 100~240VAC / 50W  
Ambient temperature: 50°C  
COLOR: WHITE / 6000K  
LOT NO.:  
IP number: IP65  
RoHS



### Energylid

Model No.: BA60CGSWW0002  
Series No.:  
Special lamps: 60W \* 1pcs  
INPUT: 100~240VAC / 60W  
Ambient temperature: 50°C  
COLOR: WHITE / 6000K  
LOT NO.:  
IP number: IP65  
RoHS



### Energylid

Model No.: BA80CGSWW0002  
Series No.:  
Special lamps: 80W \* 1pcs  
INPUT: 100~240VAC / 80W  
Ambient temperature: 50°C  
COLOR: WHITE / 6000K  
LOT NO.:  
IP number: IP65  
RoHS



### Energylid

Model No.: BA0DCGSWW0002  
Series No.:  
Special lamps: 50W \* 2pcs  
INPUT: 100~240VAC / 100W  
Ambient temperature: 50°C  
COLOR: WHITE / 6000K  
LOT NO.:  
IP number: IP65  
RoHS



### Energylid

Model No.: BA30TGSWW0002  
Series No.:  
Special lamps: 30W \* 1pcs  
INPUT: 100~240VAC / 30W  
Ambient temperature: 50°C  
COLOR: WHITE / 4500K  
LOT NO.:  
IP number: IP65  
RoHS



### Energylid

Model No.: BA50TGSWW0002  
Series No.:  
Special lamps: 50W \* 1pcs  
INPUT: 100~240VAC / 50W  
Ambient temperature: 50°C  
COLOR: WHITE / 4500K  
LOT NO.:  
IP number: IP65  
RoHS



### Energylid

Model No.: BA60TGSWW0002  
Series No.:  
Special lamps: 60W \* 1pcs  
INPUT: 100~240VAC / 60W  
Ambient temperature: 50°C  
COLOR: WHITE / 4500K  
LOT NO.:  
IP number: IP65  
RoHS



### Energylid

Model No.: BA80TGSWW0002  
Series No.:  
Special lamps: 80W \* 1pcs  
INPUT: 100~240VAC / 80W  
Ambient temperature: 50°C  
COLOR: WHITE / 4500K  
LOT NO.:  
IP number: IP65  
RoHS



### Energylid

Model No.: BA0DTGSWW0002  
Series No.:  
Special lamps: 50W \* 2pcs  
INPUT: 100~240VAC / 100W  
Ambient temperature: 50°C  
COLOR: WHITE / 4500K  
LOT NO.:  
IP number: IP65  
RoHS



### Energylid

Model No.: BA30WGSWW0002  
Series No.:  
Special lamps: 30W \* 1pcs  
INPUT: 100~240VAC / 30W  
Ambient temperature: 50°C  
COLOR: WHITE / 3000K  
LOT NO.:  
IP number: IP65  
RoHS



### Energylid

Model No.: BA50WGSWW0002  
Series No.:  
Special lamps: 50W \* 1pcs  
INPUT: 100~240VAC / 50W  
Ambient temperature: 50°C  
COLOR: WHITE / 3000K  
LOT NO.:  
IP number: IP65  
RoHS



### Energylid

Model No.: BA60WGSWW0002  
Series No.:  
Special lamps: 60W \* 1pcs  
INPUT: 100~240VAC / 60W  
Ambient temperature: 50°C  
COLOR: WHITE / 3000K  
LOT NO.:  
IP number: IP65  
RoHS



### Energylid

Model No.: BA80WGSWW0002  
Series No.:  
Special lamps: 80W \* 1pcs  
INPUT: 100~240VAC / 80W  
Ambient temperature: 50°C  
COLOR: WHITE / 3000K  
LOT NO.:  
IP number: IP65  
RoHS



### Energylid

Model No.: BA0DWGSWW0002  
Series No.:  
Special lamps: 50W \* 2pcs  
INPUT: 100~240VAC / 100W  
Ambient temperature: 50°C  
COLOR: WHITE / 3000K  
LOT NO.:  
IP number: IP65  
RoHS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Document](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## Energylid

Model No.: BA0ACGSWW0002  
Series No.:  
Special lamps: 60W \* 2pcs  
INPUT: 100~240VAC / 120W  
Ambient temperature:50°C  
COLOR:WHITE / 6000K  
LOT NO.:  
IP number: IP65  
RoHS



## Energylid

Model No.: BA0BCGSWW0002  
Series No.:  
Special lamps: 50W \* 3pcs  
INPUT: 100~240VAC / 150W  
Ambient temperature:50°C  
COLOR:WHITE / 6000K  
LOT NO.:  
IP number: IP65  
RoHS



## Energylid

Model No.: BA0ECGSWW0002  
Series No.:  
Special lamps: 60W \* 3pcs  
INPUT: 100~240VAC / 180W  
Ambient temperature:50°C  
COLOR:WHITE / 6000K  
LOT NO.:  
IP number: IP65  
RoHS



## Energylid

Model No.: BA0CCGSWW0002  
Series No.:  
Special lamps: 50W \* 4pcs  
INPUT: 100~240VAC / 200W  
Ambient temperature:50°C  
COLOR:WHITE / 6000K  
LOT NO.:  
IP number: IP65  
RoHS



## Energylid

Model No.: BA0FCGSWW0002  
Series No.:  
Special lamps: 60W \* 4pcs  
INPUT: 100~240VAC / 240W  
Ambient temperature:50°C  
COLOR:WHITE / 6000K  
LOT NO.:  
IP number: IP65  
RoHS



## Energylid

Model No.: BA0ATGSWW0002  
Series No.:  
Special lamps: 60W \* 2pcs  
INPUT: 100~240VAC / 120W  
Ambient temperature:50°C  
COLOR:WHITE / 4500K  
LOT NO.:  
IP number: IP65  
RoHS



## Energylid

Model No.: BA0BTGSWW0002  
Series No.:  
Special lamps: 50W \* 3pcs  
INPUT: 100~240VAC / 150W  
Ambient temperature:50°C  
COLOR:WHITE / 4500K  
LOT NO.:  
IP number: IP65  
RoHS



## Energylid

Model No.: BA0ETGSWW0002  
Series No.:  
Special lamps: 60W \* 3pcs  
INPUT: 100~240VAC / 180W  
Ambient temperature:50°C  
COLOR:WHITE / 4500K  
LOT NO.:  
IP number: IP65  
RoHS



## Energylid

Model No.: BA0CTGSWW0002  
Series No.:  
Special lamps: 50W \* 4pcs  
INPUT: 100~240VAC / 200W  
Ambient temperature:50°C  
COLOR:WHITE / 4500K  
LOT NO.:  
IP number: IP65  
RoHS



## Energylid

Model No.: BA0FTGSWW0002  
Series No.:  
Special lamps: 60W \* 4pcs  
INPUT: 100~240VAC / 240W  
Ambient temperature:50°C  
COLOR:WHITE / 4500K  
LOT NO.:  
IP number: IP65Made in Taiwan  
RoHS



## Energylid

Model No.: BA0AWGSWW0002  
Series No.:  
Special lamps: 60W \* 2pcs  
INPUT: 100~240VAC / 120W  
Ambient temperature:50°C  
COLOR:WHITE / 3000K  
LOT NO.:  
IP number: IP65  
RoHS



## Energylid

Model No.: BA0BWGSWW0002  
Series No.:  
Special lamps: 50W \* 3pcs  
INPUT: 100~240VAC / 150W  
Ambient temperature:50°C  
COLOR:WHITE / 3000K  
LOT NO.:  
IP number: IP65  
RoHS



## Energylid

Model No.: BA0EWGSWW0002  
Series No.:  
Special lamps: 60W \* 3pcs  
INPUT: 100~240VAC / 180W  
Ambient temperature:50°C  
COLOR:WHITE / 3000K  
LOT NO.:  
IP number: IP65  
RoHS



## Energylid

Model No.: BA0CWGSWW0002  
Series No.:  
Special lamps: 50W \* 4pcs  
INPUT: 100~240VAC / 200W  
Ambient temperature:50°C  
COLOR:WHITE / 3000K  
LOT NO.:  
IP number: IP65  
RoHS



## Energylid

Model No.: BA0FWGSWW0002  
Series No.:  
Special lamps: 60W \* 4pcs  
INPUT: 100~240VAC / 240W  
Ambient temperature:50°C  
COLOR:WHITE / 3000K  
LOT NO.:  
IP number: IP65  
RoHS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Document](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

TEST REPORT	
<b>Test item particulars</b>	
Tested lamp .....	<input checked="" type="checkbox"/> continuous wave lamps <input type="checkbox"/> pulsed lamps
Tested lamp system .....	LED Street light
Lamp classification group .....	<input checked="" type="checkbox"/> exempt <input type="checkbox"/> risk 1 <input type="checkbox"/> risk 2 <input type="checkbox"/> risk 3
Lamp cap .....	N/A
Bulb .....	N/A
Rated of the lamp .....	AC (90 to 305) V, (50 / 60) Hz, (30 / 50 / 60 / 80 / 100 / 120 / 150 / 180 / 200 / 240) W
Furthermore marking on the lamp.....	N/A
Seasoning of lamps according IEC standard.....	Aging 1h
Used measurement instrument.....	According to standard instruments of IEC 62471:2006 / EN 62471:2008
Temperature by measurement.....	(25 ± 2) °C
Information for safety use .....	Exempt Group
<b>Possible test case verdicts:</b>	
– test case does not apply to the test object.....: N (Not applicable)	
– test object does meet the requirement .....	
– test object does not meet the requirement .....	
<b>Testing:</b>	
Date of receipt of test item .....	Aug. 07, 2014
Date (s) of performance of tests .....	Aug. 07, 2014 ~ Aug. 28, 2014
<b>General remarks:</b>	
The test results presented in this report relate only to the object tested.	
This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory.	
"(See Enclosure #)" refers to additional information appended to the report.	
"(See appended table)" refers to a table appended to the report.	
Throughout this report a comma (point) is used as the decimal separator.	
List of test equipment must be kept on file and available for review.	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### General product information:

The tested products were LED Street Light, and the spectra wavelength range was broadband.

The model name BAxxxGSWWxxxx as below:

The First and Second X = 30, 50, 60, 80, 0D, 0A, 0B, 0E, 0C, 0F means power consumption, 30=30W, 50=50W, 60=60W, 80=80W, 0D=100W, 0A=120W, 0B=150W, 0E=180W, 0C=200W, 0F=240W; The Third X = W, T, C means CCT, W=3000K, T=4500K, C=6000K; The other X = 0~9, A~Z means customer code.

The product feature as below:

No.	LED Street Light				
	Model Name	Rated CCT	Power consumption	LED COB Quantity	Dimension (mm)
1	BA30CGSWW0002	6000 K	30 W	1 pcs	W 500 x L 214 x H 81
2	BA30TGSWW0002	4500 K			
3	BA30WGSWW0002	3000 K			
4	BA50CGSWW0002	6000 K	50 W		
5	BA50TGSWW0002	4500 K			
6	BA50WGSWW0002	3000 K			
7	BA60CGSWW0002	6000 K	60 W		W 620 x L 260 x H 101
8	BA60TGSWW0002	4500 K			
9	BA60WGSWW0002	3000 K			
10	BA80CGSWW0002	6000 K	80 W		
11	BA80TGSWW0002	4500 K			
12	BA80WGSWW0002	3000 K			
13	BA0DCGSWW0002	6000 K	100 W	2 pcs	W 720 x L 280 x H 112
14	BA0DTGSWW0002	4500 K			
15	BA0DWGSWW0002	3000 K			
16	BA0ACGSWW0002	6000 K	120 W		
17	BA0ATGSWW0002	4500 K			
18	BA0AWGSWW0002	3000 K			
19	BA0BCGSWW0002	6000 K	150 W	3 pcs	W 880 x L 340 x H 122
20	BA0BTGSWW0002	4500 K			
21	BA0BWGSWW0002	3000 K			
22	BA0ECGSWW0002	6000 K	180 W		
23	BA0ETGSWW0002	4500 K			
24	BA0EWGSWW0002	3000 K			
25	BA0CCGSWW0002	6000 K	200 W	4 pcs	W 1100 x L 420 x H 126
26	BA0CTGSWW0002	4500 K			
27	BA0CWGSWW0002	3000 K			
28	BA0FCGSWW0002	6000 K	240 W		
29	BA0FTGSWW0002	4500 K			
30	BA0FWGSWW0002	3000 K			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## LED Specs:

No.	Model Name	Manufacturer	LED		
			Typ. Voltage	LED Light Source Model No.	Dimension (mm)
1	BA30CGSWW0002	Ledtech	44.3 V (@0.7 A)	LP30N3-S072	W 60 x L 60 X H 2.7
2	BA30TGSWW0002			LP30N3-S101	
3	BA30WGSWW0002			LP30NR-S098	
4	BA50CGSWW0002		46.4 V (@1.05 A)	LP30N3-S117	W 60 x L 60 X H 2.7
5	BA50TGSWW0002		46.4 V (@1.05 A)	LP30N3-S126	
6	BA50WGSWW0002		46 V (@1.05 A)	LP30NR-S125	
7	BA60CGSWW0002		43 V (@1.4 A)	LP30N3-S238	W 60 x L 60 X H 2.5
8	BA60TGSWW0002			LP30N3-S267	
9	BA60WGSWW0002			LP30NR-S268	
10	BA80CGSWW0002		34.5 V (@2.3 A)	LP30N3-S353	W 60 x L 60 X H 2.5
11	BA80TGSWW0002			LP30N3-S351	W 60 x L 60 X H 2.5
12	BA80WGSWW0002			LP30NR-S428	W 60 x L 60 X H 2.7
13	BA0DCGSWW0002		46.4 V (@1.05 A)	LP30N3-S117	W 60 x L 60 X H 2.7
14	BA0DTGSWW0002		46.4 V (@1.05 A)	LP30N3-S126	
15	BA0DWGSWW0002		46 V (@1.05 A)	LP30NR-S125	
16	BA0ACGSWW0002		43 V (@1.4 A)	LP30N3-S238	W 60 x L 60 X H 2.5
17	BA0ATGSWW0002			LP30N3-S267	
18	BA0AWGSWW0002			LP30NR-S268	
19	BA0BCGSWW0002		46.4 V (@1.05 A)	LP30N3-S117	W 60 x L 60 X H 2.7
20	BA0BTGSWW0002		46.4 V (@1.05 A)	LP30N3-S126	
21	BA0BWGSWW0002		46 V (@1.05 A)	LP30NR-S125	
22	BA0ECGSWW0002		43 V (@1.4 A)	LP30N3-S238	W 60 x L 60 X H 2.5
23	BA0ETGSWW0002			LP30N3-S267	
24	BA0EWGSWW0002			LP30NR-S268	
25	BA0CCGSWW0002		46.4 V (@1.05 A)	LP30N3-S117	W 60 x L 60 X H 2.7
26	BA0CTGSWW0002		46.4 V (@1.05 A)	LP30N3-S126	
27	BA0CWGSWW0002		46 V (@1.05 A)	LP30NR-S125	
28	BA0FCGSWW0002		13.2 V (@4.4 A)	LP30N3-S457	W 60 x L 60 X H 2.7
29	BA0FTGSWW0002		13.4 V (@4.4 A)	LP30N3-S456	
30	BA0FWGSWW0002		13.2 V (@4.4 A)	LP30NR-S458	

## Note:

The radiation hazards comply with the limit level for Exempt Group.

In our opinion, the classification information shall be included in the product specifications or user instructions.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Document](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

IEC/EN 62471			
Clause	Requirement + Test	Result - Remark	Verdict
<b>4</b>	<b>EXPOSURE LIMITS</b>		P
4.1	General		P
	The exposure limits in this standard is not less than 0,01 ms and not more than any 8-hour period and should be used as guides in the control of exposure		P
	Detailed spectral data of a light source are generally required only if the luminance of the source exceeds $10^4 \text{ cd m}^{-2}$	see clause 4.3	P
4.3	Hazard exposure limits		P
4.3.1	Actinic UV hazard exposure limit for the skin and eye		P
	The exposure limit for effective radiant exposure is $30 \text{ J m}^{-2}$ within any 8-hour period		P
	To protect against injury of the eye or skin from ultraviolet radiation exposure produced by a broadband source, the effective integrated spectral irradiance, $E_s$ , of the light source shall not exceed the levels defined by:		P
	$E_s \cdot t = \sum_{200}^{400} E_{\lambda}(\lambda, t) \cdot S_{UV}(\lambda) \cdot \Delta t \cdot \Delta \lambda \leq 30 \quad \text{J m}^{-2}$		P
	The permissible time for exposure to ultraviolet radiation incident upon the unprotected eye or skin shall be computed by:		P
	$t_{\max} = \frac{30}{E_s} \quad \text{s}$		P
4.3.2	Near-UV hazard exposure limit for eye		P
	For the spectral region 315 nm to 400 nm (UV-A) the total radiant exposure to the eye shall not exceed $10000 \text{ J m}^{-2}$ for exposure times less than 1000 s. For exposure times greater than 1000 s (approximately 16 minutes) the UV-A irradiance for the unprotected eye, $E_{UVA}$ , shall not exceed $10 \text{ W m}^{-2}$ .		P
	The permissible time for exposure to ultraviolet radiation incident upon the unprotected eye for time less than 1000 s, shall be computed by:		P
	$t_{\max} \leq \frac{10\,000}{E_{UVA}} \quad \text{s}$		P
4.3.3	Retinal blue light hazard exposure limit		P
	To protect against retinal photochemical injury from chronic blue-light exposure, the integrated spectral radiance of the light source weighted against the blue-light hazard function, $B(\lambda)$ , i.e., the blue-light weighted radiance, $L_B$ , shall not exceed the levels defined by:		P

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



IEC/EN 62471			
Clause	Requirement + Test	Result - Remark	Verdict
	$L_B \cdot t = \sum_{300}^{700} \sum_t L_\lambda(\lambda, t) \cdot B(\lambda) \cdot \Delta\lambda \leq 10^6 \quad \text{J} \cdot \text{m}^{-2} \cdot \text{sr}^{-1}$	for $t \leq 10^4 \text{ s}$ $t_{\max} = \frac{10^6}{L_B}$	N
	$L_B = \sum_{300}^{700} L_\lambda \cdot B(\lambda) \cdot \Delta\lambda \leq 100 \quad \text{W} \cdot \text{m}^{-2} \cdot \text{sr}^{-1}$	for $t > 10^4 \text{ s}$	P
4.3.4	Retinal blue light hazard exposure limit - small source		N
	Thus the spectral irradiance at the eye $E_\lambda$ , weighted against the blue-light hazard function $B(\lambda)$ shall not exceed the levels defined by:	see table 4.2	N
	$E_B \cdot t = \sum_{300}^{700} \sum_t E_\lambda(\lambda, t) \cdot B(\lambda) \cdot \Delta\lambda \leq 100 \quad \text{J} \cdot \text{m}^{-2}$	for $t \leq 100 \text{ s}$	N
	$E_B = \sum_{300}^{700} E_\lambda \cdot B(\lambda) \cdot \Delta\lambda \leq 1 \quad \text{W} \cdot \text{m}^{-2}$	for $t > 100 \text{ s}$	N
4.3.5	Retinal thermal hazard exposure limit		P
	To protect against retinal thermal injury, the integrated spectral radiance of the light source, $L_\lambda$ , weighted by the burn hazard weighting function $R(\lambda)$ (from Figure 4.2 and Table 4.2), i.e., the burn hazard weighted radiance, shall not exceed the levels defined by:		P
	$L_R = \sum_{380}^{1400} L_\lambda \cdot R(\lambda) \cdot \Delta\lambda \leq \frac{50\,000}{\alpha \cdot t^{0.25}} \quad \text{W} \cdot \text{m}^{-2} \cdot \text{sr}^{-1}$	( $10 \mu\text{s} \leq t \leq 10 \text{ s}$ )	P
4.3.6	Retinal thermal hazard exposure limit – weak visual stimulus		P
	For an infrared heat lamp or any near-infrared source where a weak visual stimulus is inadequate to activate the aversion response, the near infrared (780 nm to 1400 nm) radiance, $L_{IR}$ , as viewed by the eye for exposure times greater than 10 s shall be limited to:		P
	$L_{IR} = \sum_{780}^{1400} L_\lambda \cdot R(\lambda) \cdot \Delta\lambda \leq \frac{6\,000}{\alpha} \quad \text{W} \cdot \text{m}^{-2} \cdot \text{sr}^{-1}$	$t > 10 \text{ s}$	P
4.3.7	Infrared radiation hazard exposure limits for the eye		P
	The avoid thermal injury of the cornea and possible delayed effects upon the lens of the eye (cataractogenesis), ocular exposure to infrared radiation, $E_{IR}$ , over the wavelength range 780 nm to 3000 nm, for times less than 1000 s, shall not exceed:		P
	$E_{IR} = \sum_{780}^{3000} E_\lambda \cdot \Delta\lambda \leq 18\,000 \cdot t^{-0.75} \quad \text{W} \cdot \text{m}^{-2}$	$t \leq 1000 \text{ s}$	N

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

IEC/EN 62471			
Clause	Requirement + Test	Result - Remark	Verdict
	For times greater than 1000 s the limit becomes:		P
	$E_{IR} = \sum_{380}^{3000} E_{\lambda} \cdot \Delta\lambda \leq 100 \quad W \cdot m^{-2}$	$t > 1000 \text{ s}$	P
4.3.8	Thermal hazard exposure limit for the skin		P
	Visible and infrared radiant exposure (380 nm to 3000 nm) of the skin shall be limited to:		P
	$E_H \cdot t = \sum_{380}^{3000} \sum_t E_{\lambda}(\lambda, t) \cdot \Delta\lambda \leq 20\,000 \cdot t^{0.25} \quad J \cdot m^{-2}$		P

<b>5</b>	<b>MEASUREMENT OF LAMPS AND LAMP SYSTEMS</b>		P
5.1	Measurement conditions		P
	Measurement conditions shall be reported as part of the evaluation against the exposure limits and the assignment of risk classification.	Risk Group Classification is Exempt Group	P
5.1.1	Lamp ageing (seasoning)		P
	Seasoning of lamps shall be done as stated in the appropriate IEC lamp standard.		P
5.1.2	Test environment		P
	For specific test conditions, see the appropriate IEC lamp standard or in absence of such standards, the appropriate national standards or manufacturer's recommendations.		P
5.1.3	Extraneous radiation		P
	Careful checks should be made to ensure that extraneous sources of radiation and reflections do not add significantly to the measurement results.		P
5.1.4	Lamp operation	Not applicable	N
	Operation of the test lamp shall be provided in accordance with:	Not applicable	N
	- the appropriate IEC lamp standard, or	Not applicable	N
	- the manufacturer's recommendation	Not applicable	N
5.1.5	Lamp system operation		P
	The power source for operation of the test lamp shall be provided in accordance with:		P
	- the appropriate IEC standard, or	Not applicable	N
	- the manufacturer's recommendation	Test Condition Input Voltage: AC (90 / 305, (50 / 60) Hz Head of LED component paralleled to optical table for measurement and the measuring distance was 1311 to 3855 mm	P

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

IEC/EN 62471			
Clause	Requirement + Test	Result - Remark	Verdict
5.2	Measurement procedure		P
5.2.1	Irradiance measurements		P
	Minimum aperture diameter 7mm.		P
	Maximum aperture diameter 50 mm.		P
	The measurement shall be made in that position of the beam giving the maximum reading.		P
	The measurement instrument is adequate calibrated.		P
5.2.2	Radiance measurements		P
5.2.2.1	Standard method		P
	The measurements made with an optical system.		P
	The instrument shall be calibrated to read in absolute radiant power per unit receiving area and per unit solid angle to acceptance averaged over the field of view of the instrument.		P
5.2.2.2	Alternative method	Not applicable	N
	Alternatively to an imaging radiance set-up, an irradiance measurement set-up with a circular field stop placed at the source can be used to perform radiance measurements.	Not applicable	N
5.2.3	Measurement of source size		P
	The determination of $\alpha$ , the angle subtended by a source, requires the determination of the 50% emission points of the source.		P
5.2.4	Pulse width measurement for pulsed sources	Not applicable	N
	The determination of $\Delta t$ , the nominal pulse duration of a source, requires the determination of the time during which the emission is > 50% of its peak value.	Not applicable	N
5.3	Analysis methods		P
5.3.1	Weighting curve interpolations		P
	To standardize interpolated values, use linear interpolation on the log of given values to obtain intermediate points at the wavelength intervals desired.	see table 4.1	P
5.3.2	Calculations		P
	The calculation of source hazard values shall be performed by weighting the spectral scan by the appropriate function and calculating the total weighted energy.		P
5.3.3	Measurement uncertainty		P
	The quality of all measurement results must be quantified by an analysis of the uncertainty.		P
6	LAMP CLASSIFICATION		P
	For the purposes of this standard it was decided that the values shall be reported as follows:	see table 6.1	P

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

IEC/EN 62471			
Clause	Requirement + Test	Result - Remark	Verdict
	- for lamps intended for general lighting service, the hazard values shall be reported as either irradiance or radiance values at a distance which produces an illuminance of 500 lux, but not at a distance less than 200 mm		P
	- for all other light sources, including pulsed lamp sources, the hazard values shall be reported at a distance of 200 mm	Not applicable	N

6.1	Continuous wave lamps		P
6.1.1	Exempt Group		P
	In the except group are lamps, which does not pose any photobiological hazard. The requirement is met by any lamp that does not pose:		P
	- an actinic ultraviolet hazard ( $E_S$ ) within 8-hours exposure (30000 s), nor		P
	- a near-UV hazard ( $E_{UVA}$ ) within 1000 s, (about 16 min), nor		P
	- a retinal blue-light hazard ( $L_B$ ) within 10000 s (about 2,8 h), nor		P
	- a retinal thermal hazard ( $L_R$ ) within 10 s, nor		P
	- an infrared radiation hazard for the eye ( $E_{IR}$ ) within 1000 s		P
6.1.2	Risk Group 1 (Low-Risk)	Not applicable	N
	In this group are lamps, which exceeds the limits for the except group but that does not pose:	Not applicable	N
	- an actinic ultraviolet hazard ( $E_S$ ) within 10000 s, nor	Not applicable	N
	- a near ultraviolet hazard ( $E_{UVA}$ ) within 300 s, nor	Not applicable	N
	- a retinal blue-light hazard ( $L_B$ ) within 100 s, nor	Not applicable	N
	- a retinal thermal hazard ( $L_R$ ) within 10 s, nor	Not applicable	N
	- an infrared radiation hazard for the eye ( $E_{IR}$ ) within 100 s	Not applicable	N
	Lamps that emit infrared radiation without a strong visual stimulus and do not pose a near-infrared retinal hazard ( $L_{IR}$ ), within 100 s are in Risk Group 1.	Not applicable	N
6.1.3	Risk Group 2 (Moderate-Risk)	Not applicable	N
	This requirement is met by any lamp that exceeds the limits for Risk Group 1, but that does not pose:	Not applicable	N

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Document](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



IEC/EN 62471			
Clause	Requirement + Test	Result - Remark	Verdict
	- an actinic ultraviolet hazard ( $E_S$ ) within 1000 s exposure, nor	Not applicable	N
	- a near ultraviolet hazard ( $E_{UVA}$ ) within 100 s, nor	Not applicable	N
	- a retinal blue-light hazard ( $L_B$ ) within 0,25 s (aversion response), nor	Not applicable	N
	- a retinal thermal hazard ( $L_R$ ) within 0,25 s (aversion response), nor	Not applicable	N
	- an infrared radiation hazard for the eye ( $E_{IR}$ ) within 10 s	Not applicable	N
	Lamps that emit infrared radiation without a strong visual stimulus and do not pose a near-infrared retinal hazard (LIR), within 10 s are in Risk Group 2.	Not applicable	N
6.1.4	Risk Group 3 (High-Risk)	Not applicable	N
	Lamps which exceed the limits for Risk Group 2 are in Group 3.	Not applicable	N
6.2	Pulsed lamps	Not applicable	N
	Pulse lamp criteria shall apply to a single pulse and to any group of pulses within 0,25 s.	Not applicable	N
	A pulsed lamp shall be evaluated at the highest nominal energy loading as specified by the manufacturer.	Not applicable	N
	The risk group determination of the lamp being tested shall be made as follows:	Not applicable	N
	- a lamp that exceeds the exposure limit shall be classified as belonging to Risk Group 3 (High-Risk)	Not applicable	N
	- for single pulsed lamps, a lamp whose weighted radiant exposure or weighted radiance does is below the EL shall be classified as belonging to the Exempt Group	Not applicable	N
	- for repetitively pulsed lamps, a lamp whose weighted radiant exposure or weighted radiance dose is below the EL, shall be evaluated using the continuous wave risk criteria discussed in clause 6.1, using time averaged values of the pulsed emission	Not applicable	N

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**Table 4.1** Spectral weighting function for assessing ultraviolet hazards for skin and eye

Wavelength <sup>1</sup> $\lambda$ , nm	UV hazard function $S_{uv}(\lambda)$	Wavelength $\lambda$ , nm	UV hazard function $S_{uv}(\lambda)$
200	0,030	313*	0,006
205	0,051	315	0,003
210	0,075	316	0,0024
215	0,095	317	0,0020
220	0,120	318	0,0016
225	0,150	319	0,0012
230	0,190	320	0,0010
235	0,240	322	0,00067
240	0,300	323	0,00054
245	0,360	325	0,00050
250	0,430	328	0,00044
254*	0,500	330	0,00041
255	0,520	333*	0,00037
260	0,650	335	0,00034
265	0,810	340	0,00028
270	1,000	345	0,00024
275	0,960	350	0,00020
280*	0,880	355	0,00016
285	0,770	360	0,00013
290	0,640	365*	0,00011
295	0,540	370	0,000093
297*	0,460	375	0,000077
300	0,300	380	0,000064
303*	0,120	385	0,000053
305	0,060	390	0,000044
308	0,026	395	0,000036
310	0,015	400	0,000030

<sup>1</sup> Wavelengths chosen are representative: other values should be obtained by logarithmic interpolation at intermediate wavelengths.

\* Emission lines of a mercury discharge spectrum.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Table 4.2** Spectral weighting functions for assessing retinal hazards from broadband optical sources

Wavelength nm	Blue-light hazard function B ( $\lambda$ )	Burn hazard function R ( $\lambda$ )
300	0,01	
305	0,01	
310	0,01	
315	0,01	
320	0,01	
325	0,01	
330	0,01	
335	0,01	
340	0,01	
345	0,01	
350	0,01	
355	0,01	
360	0,01	
365	0,01	
370	0,01	
375	0,01	
380	0,01	0,1
385	0,013	0,13
390	0,025	0,25
395	0,05	0,5
400	0,10	1,0
405	0,20	2,0
410	0,40	4,0
415	0,80	8,0
420	0,90	9,0
425	0,95	9,5
430	0,98	9,8
435	1,00	10,0
440	1,00	10,0
445	0,97	9,7
450	0,94	9,4
455	0,90	9,0
460	0,80	8,0
465	0,70	7,0
470	0,62	6,2
475	0,55	5,5
480	0,45	4,5
485	0,40	4,0
490	0,22	2,2
495	0,16	1,6
500-600	$10^{[(450-\lambda)/50]}$	1,0
600-700	0,001	1,0
700-1050		$10^{[(700-\lambda)/500]}$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Document](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1050-1150		0,2
1150-1200		$0,2 \cdot 10^{0,02(1150-\lambda)}$
1200-1400		0,02

**Table 5.4** Summary of the ELs for the surface of the skin or cornea (irradiance based values)

Hazard Name	Relevant equation	Wavelength range nm	Exposure duration sec	Limiting aperture rad (deg)	EL in terms of constant irradiance $W \cdot m^{-2}$
Actinic UV skin & eye	$E_S = \sum E_\lambda \cdot S(\lambda) \cdot \Delta\lambda$	200 – 400	< 30000	1,4 (80)	30/t
Eye UV-A	$E_{UVA} = \sum E_\lambda \cdot \Delta\lambda$	315 – 400	$\leq 1000$ $> 1000$	1,4 (80)	10000/t 10
Blue-light small source	$E_B = \sum E_\lambda \cdot B(\lambda) \cdot \Delta\lambda$	300 – 700	$\leq 100$ $> 100$	< 0,011	100/t 1,0
Eye IR	$E_{IR} = \sum E_\lambda \cdot \Delta\lambda$	780 – 3000	$\leq 1000$ $> 1000$	1,4 (80)	$18000/t^{0,75}$ 100
Skin thermal	$E_H = \sum E_\lambda \cdot \Delta\lambda$	380 – 3000	< 10	$2\pi$ sr	$20000/t^{0,75}$

**Table 5.5** Summary of the ELs for the retina (radiance based values)

Hazard Name	Relevant equation	Wavelength range nm	Exposure duration sec	Field of view radians	EL in terms of constant radiance $W \cdot m^{-2} \cdot sr^{-1}$
Blue light	$L_B = \sum L_\lambda \cdot B(\lambda) \cdot \Delta\lambda$	300 – 700	0,25 – 10 10-100 100-10000 $\geq 10000$	$0,011 \cdot \sqrt{(t/10)}$ 0,011 $0,0011 \cdot \sqrt{t}$ 0,1	$10^6/t$ $10^6/t$ $10^6/t$ 100
Retinal thermal	$L_R = \sum L_\lambda \cdot R(\lambda) \cdot \Delta\lambda$	380 – 1400	< 0,25 0,25 – 10	0,0017 $0,011 \cdot \sqrt{(t/10)}$	$50000/(\alpha \cdot t^{0,25})$ $50000/(\alpha \cdot t^{0,25})$
Retinal thermal (weak visual stimulus)	$L_{IR} = \sum L_\lambda \cdot R(\lambda) \cdot \Delta\lambda$	780 – 1400	> 10	0,011	$6000/\alpha$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Table 6.1** Emission limits for risk groups of continuous wave lamps

Risk	Action spectrum	Symbol	Units	Emission Measurement					
				Exempt		Low risk		Mod risk	
				Limit	Result	Limit	Result	Limit	Result
Actinic UV	$S_{UV}(\lambda)$	$E_s$	$W \cdot m^{-2}$	0,001	4.73E-04	0,003	-	0,03	-
Near UV		$E_{UVA}$	$W \cdot m^{-2}$	10	2.80E-04	33	-	100	-
Blue light	$B(\lambda)$	$L_B$	$W \cdot m^{-2} \cdot sr^{-1}$	100	5.59E+01	10000	-	4000000	-
Blue light, small source	$B(\lambda)$	$E_B$	$W \cdot m^{-2}$	1,0*	-	1,0	-	400	-
Retinal thermal	$R(\lambda)$	$L_R$	$W \cdot m^{-2} \cdot sr^{-1}$	28000/ $\alpha$	2.14E+04	28000/ $\alpha$	-	71000/ $\alpha$	-
Retinal thermal, weak visual stimulus**	$R(\lambda)$	$L_{IR}$	$W \cdot m^{-2} \cdot sr^{-1}$	6000/ $\alpha$	<1.00E-09	6000/ $\alpha$	-	6000/ $\alpha$	-
IR radiation, eye		$E_{IR}$	$W \cdot m^{-2}$	100	<1.00E-09	570	-	3200	-
* Small source defined as one with $\alpha < 0,011$ radian. Averaging field of view at 10000 s is 0,1 radian. ** Involves evaluation of non-GLS source									

※ Remark:

All the models listed on the report were tested and evaluated upon one tested sample at least, and the test results shown on the report were summarized with the worse one among the tested samples in normal conditions.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

-- Attachment Photos --



BA30CGSWW0002 - Top View



BA30CGSWW0002 - Bottom View

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





BA50CGSWW0002 - Top View



BA50CGSWW0002 - Bottom View

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



BA60CGSWW0002 - Top View



BA60CGSWW0002 - Bottom View

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Document](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



BA80CGSWW0002 - Top View



BA80CGSWW0002 - Bottom View

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Document](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





BA0ACGSWW0002 - Top View



BA0ACGSWW0002 - Bottom View

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Document](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



BA0BCGSWW0002 - Top View



BA0BCGSWW0002 - Bottom View

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Document](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





BA0ECGSWW0002 - Top View



BA0ECGSWW0002 - Bottom View

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Document](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



BA0CCGSWW0002 - Top View



BA0CCGSWW0002 - Bottom View

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Document](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



BA0FCGSWW0002 - Top View



BA0FCGSWW0002 - Bottom View

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Document](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





BA0FWGSWW0002 - Top View



BA0FWGSWW0002 - Bottom View

**- End of Report -**

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/en/Terms-and-Conditions/Terms-e-Document](http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.