

SPECIFICATION

(規格書)


PART NO. : BA13XHDCE0001

6 吋薄型均光崁燈

6" Down Light

P/N 型號	CCT 色溫
BA13DHDCE0001	5000K
BA13THDCE0001	4000K

通過 CNS14115/CNS14335/CNS15592 產品認證



Approved by

Checked by

Prepared by

Tony Shen

Olive Lin

MODIFY RECORD

[illegible]




BA13XHDCE0001

D→ 5000K

T→ 4000K

Dimensions(尺寸):



Recessed into the hole : $\Phi 150$ mm
(開孔尺寸建議為 $\Phi 150$ mm)



1. All dimensions are in millimeters.(所有尺寸採用毫米規格)
2. Tolerance is ± 2.0 mm unless otherwise noted.(未標註之尺寸公差值為 ± 2.0 毫米)

**Energyled****BA13XHDCE0001****LED 6 吋薄型均光崁燈
LED 6"Down Light****Absolute Maximum Ratings(最大標示值):**


Input Voltage Range/Frequency (輸入電壓/頻率範圍)	AC100-240V /50~60Hz
Operating Temperature Range (操作溫度範圍)	-20 ~ +40℃
Storage Temperature Range (儲存溫度範圍)	-20 ~ +60℃

Electrical And Optical Characteristics(光電特性表):


Parameter	Symbol	Condition	Min.	Typ.	Max.	Unit
Luminous Flux(光通量)	Φ_v	220VAC	1400	--	--	lm
Correlated Color Temperature (色溫)	CCT		3700	4000	4300	K
			4700	5000	5300	
Power Consumption (消耗功率)	P _D		11.7	13	14.3	W
Color Index (演色性指數)	Ra		80	--	--	%
Beam Angle 50% (發光角度)	$\Delta\theta$		--	120	--	Deg
Power Factor(功率因數)	PF		0.9	--	--	%
Flicker index (閃爍指數)	FI		--	--	0.05	--
Percent Flicker(閃爍百分比)	PF		--	--	5	%



Radiation Diagram (頻譜圖):




Spectral Distribution (nm) for 5000K



Spectral Distribution (nm) for 4000K

Radiation Diagram (配光曲線):





Energyled

BA13XHDCE0001


LED 6 吋薄型均光崁燈
LED 6"Down Light

Label Description (標籤說明):

Product Label 產品標籤:

Inner Box 內盒

燈具本體



華能光電 一般室內用燈具.(燈具不可跨接)
委製商/進口商:華能光電科技股份有限公司
地址: 新北市新店區中正路542-4號6樓
型號: BA13xHDCE0001 額定功率: 13W
額定輸入電壓/頻率: 100-240Vac 50/60Hz
額定輸入電流: 0.16-0.05A 功率因數PF: 0.9 額定演色指數: 80
光源規格: 不可更換LED 0.2Wx96PCS 額定發光效率: 110 lm/W
額定總光通量: 1400Lm 色溫: xx00K CCT
商品原產地: 中國 製造年月: 2020/xx月



R35958
RoHS

D=5000K T=4000K

環溫標籤 ta:40°C:









EnergyLED

BA13XHDCE0001

LED 6 吋薄型均光崁燈
LED 6"Down Light

Encased Type (包裝方式):



LED DOWN LIGHT

INPUT:100-240V / 13W / 50/60Hz

MODEL: BA13XHDCE0001

COLOR: White XX00K

Qty: 40 PCS

LOT No.:

DATE:

CCT: D=5000K T=4000K

PART NO. (型號)	Quantity (數量)	L(mm) (長度)	W(mm) (寬度)	H(mm) (高度)
BA13xHDCE0001	40 PCS	635	420	425

OUTTER CARTON (外紙箱)